

Produktübersicht CTM Batterie

AGM-Blockbatterie. 6-8 Jahre Gebrauchsdauer

Typ	Volt	Ah	Anschl.	Abm	Kg
CT 0,8-12	12	0,8	JST / AMP	96*25*62	0,37
CT 1.2-12*	12	1,2	Fast on 187	97*43*52	0,58
CT 2.0-12NP	12	2	Fast on	150*20,5*89,5	0,71
CT 2.1-12*	12	2,1	Fast on 187	178*35*60	1,04
CT 2.3-12C	12	2,3	Fast on 187	182*24*61,7	0,75
CT 2.6-12	12	2,6	Fast on 187	70*48*104	1,00
CT 2.9-12	12	2,9	Fast on 187	79*55*102	1,10
CT 3.4-12	12	3,4	Fast on 187	134*67*60	1,37
CT 5-12	12	5	Fast on 187	90*70*101	1,83
CT 5-12L	12	5	Fast on 250	90*70*101	1,83
CT 6-12HR	12	6	T1 / T2	151*50*98	2,04
CT 7-12*	12	7	Fast on 187	151*65*94	2,54
CT 7-12L*	12	7	Fast on 250	151*65*94	2,54
CT 7.5-12HR	12	7,5	Fast on 250	151*65*94	2,65
CT 9-12L	12	9	Fast on 250	151*65*94	2,66
CT 12-12*	12	12	Fast on 187	151*98*94	4,05
CT 12-12L*	12	12	Fast on 250	151*98*94	4,05
CT 14-12	12	14	Fast on 250	151*98*94	4,10
CT 17-12*	12	17	M5	181*76*167	6,00
CT 18-12HR	12	18	M5	181*76*167	6,30
CT 24-12*	12	24	M5	166*175*125	8,20
CT 24-12s	12	24	M6	166+125*175	9,00
CT 33-12	12	33	M6	194*130*166,5	11,00
CT 38-12*	12	28	M6	197*165*170	13,80
CT 55-12	12	55	M6	228*137*210	19,00
CT 65-12*	12	65	M6	350*166*174	22,20



AGM-Blockbatterie. 6-8 Jahre Gebrauchsdauer

Typ	Volt	Ah	Anschl.	Abm	Kg
CT 65-12HR	12	65	M6	278*175*190	22,00
CT 80-12	12	80	M6	260*168*210	25,00
CT 100-12	12	100	M8	330*173*212	32,00
CT 120-12	12	120	M8	410*177*225	37,60
CT 150-12	12	150	M8	485*170*242	48,20
CT 200-12	12	200	M8	52*240*218	64,00

AGM-Blockbatterie. 8-10 Jahre Gebrauchsdauer

Typ	Volt	Ah	Anschl.	Abm	Kg
CTL 7-12		7	fast-on 250	151*65*94	2,68
CTL 12-12		12	fast-on 250	151*98*94	4,1
CTL 18-12		18	M5	181*76*167	6,25
CTL 26-12		26	M5	166*176*126	9,2
CTL 28-12		28	M5	166*125*175	9,4
CTL 33-12		33	M6	195*130*160	10,9
CTL 44-12		44	M6	197*165*170	13,6
CTL 55-12		55	M6	228*137*207	17,5



AGM-Blockbatterie. 8-10 Jahre Gebrauchsdauer

Typ	Volt	Ah	Anschl.	Abm	Kg
CTL 70-12		70	M6	350*167*179	22,1
CTL 70-12s		70	M6	259*168*208	21,5
CTL 80-12		80	M6	259*168*208	23,7
CTL 100-12		100	M6	305*168*208	30
CTL 110-12		110	M6	332*174*213	32,2
CTL 120-12		120	M6	408*176*227	35
CTL 135-12		135	M6	340*173*280	39,6
CTL 150-12		150	M6	482*170*242	44,2
CTL 160-12		160	M8	530*209*214	52,2
CTL 200-12		200	M8	520*240*220	66
CTL 230-12		230	M8	521*269*203	70

Gel-Blockbatterie. 10-12 Jahre Gebrauchsdauer

Typ	Volt	Ah	Anschl.	Abm	Kg
CTV 7-12	12	7	fast-on 250	151*65*99	2,5
CTV 12-12	12	12	fast-on 250	151*97*100	4
CTV 18-12	12	18	M5	181*76*167	5,9
CTV 26-12	12	26	M5	166*176*126	8,8
CTV 33-12	12	33	M6	195*130*160	10,9
CTV 44-12	12	44	M6	197*165*170	14
CTV 55-12	12	55	M6	228*137*207	17,5
CTV 70-12	12	70	M6	350*167*179	22,1
CTV 70-12s	12	70	M6	259*168*208	21,5
CTV 80-12	12	80	M6	259*168*208	23,3
CTV 100-12	12	100	M6	305*168*208	28,4
CTV 110-12	12	110	M6	332*174*213	32,2
CTV 120-12	12	120	M6	408*176*227	35,4
CTV 135-12	12	135	M6	340*173*208	39,8
CTV 150-12	12	150	M6	482*170*242	44,3
CTV 160-12	12	160	M8	530*209*214	57,4
CTV 200-12	12	200	M8	520*240*220	66
CTV 230-12	12	230	M8	521*269*203	71


OPzV - Wartungsfreie verschlossene Blei-Gel-Zellen, >15 Jahre

Typ	Volt	Ah	Anschl.	Abm	Kg
OPzV 200	2	206	M8	105*208*360	19
OPzV 250	2	260	M8	126*208*360	22,5
OPzV 300	2	310	M8	147*208*360	28
OPzV 350	2	360	M8	126*208*475	31
OPzV 420	2	430	M8	147*208*475	36
OPzV 490	2	500	M8	168*208*475	42
OPzV 600	2	610	M8	147*208*650	50
OPzV 770	2	780	M8	215*254*475	64
OPzV 800	2	810	M8	215*193*650	68
OPzV 1000	2	1015	M8	215*235*650	82



OPzS -Block Wartungsarm geschlossene Blei-Zellen, >15 Jahre

Typ	Volt	Ah	Anschl.	Abm	Kg
12V 10PzS50	12	51	M6	272*205*392	39
12V 20PzS 100	12	81,8	M6	272*205*392	50
12V 30PzS 150	12	122,6	M8	380*205*392	69
6V 40PzS 200	6	167	M8	272*205*392	47
6V 50PzS 250	6	208,6	M8	380*205*392	61
6V 60PzS 300	6	250,5	M8	380*205*392	68


Ogi Block Wartungsarm geschlossene Blei Zellen, >15 Jahre

Typ	Volt	Ah	Anschl.	Abm	Kg
12V 1 Ogi 25	12	29	M6	272*205*392	33
12V 2 Ogi 50	12	56	M6	272*205*392	41
12V 3OGi 75	12	80	M6	272*205*392	49
12V 4OGi 100	12	108	M8	272*205*392	58
12V 5OGi 125	12	135	M8	380*205*392	78
12V 6OGi 150	12	165	M8	380*205*392	86
6V 7OGi 175	6	187	M8	272*205*392	49
6V 8OGi 200	6	228	M8	272*205*392	53
6V 9OGi 225	6	254	M8 </td <td>380*205*392</td> <td>68</td>	380*205*392	68
6V 10OGi 250	6	270	M8	380*205*392	72
6V 11OG i275	6	304	M8	380*205*392	75
6V 12OGi 300	6	320	M8	380*205*392	79

